

FIGURE 1A



FIGURE 1B



FIGURE 2



FIGURE 3A



FIGURE 3B



FIGURE 3C



FIGURE 3D



FIGURE 4F



FIGURE 4E



FIGURE 4D



FIGURE 4B



FIGURE 4A



FIGURE 4C1



FIGURE 4C2



FIGURE 4G



FIGURE 4H



FIGURE 4I



FIGURE 4J


52
42
44
5F
46
46
52
44
52
5E
52
52
46
5D
52
52
52
5C
44
5B
46
5A



FIGURE 6A



FIGURE 6B



FIGURE 6C



FIGURE 6D



FIGURE 7A



FIGURE 7B



FIGURE 7C



FIGURE 7D



FIGURE 7E



FIGURE 7F



FIGURE 7G



FIGURE 7H



FIGURE 7I



FIGURE 8A



FIGURE 8B



FIGURE 8C



FIGURE 8D



FIGURE 8E



FIGURE 8F



DYNORUN.015 70.4 °F 29.92-0.40 in.Hg. 110 ft. CF=0.98 RPM/MPH=80
Max POWER = 102.7 Max TORQUE = 91.4
run1

DYNORUN.049 82.6 °F 29.92-0.62 in.Hg. 110 ft. CF=1.00 RPM/MPH=80
Max POWER = 107.1 Max TORQUE = 96.1

DYNORUN.051 82.9 °F 29.92-0.61 in.Hg. 110 ft. CF=1.00 RPM/MPH=80
Max POWER = 109.1 Max TORQUE = 97.2

DnR Performance

FIGURE 9